

Package: cccmthemes (via r-universe)

October 3, 2026

Title CCCM `ggplot2` Theme and Colour Palettes

Version 0.0.0.9000

Description `ggplot2` theme and color palettes following the CCCM Design Guide.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

URL <https://github.com/vidonne/cccmthemes>

BugReports <https://github.com/vidonne/cccmthemes/issues>

Imports ggplot2, ggtext, ggrepel, systemfonts

Config/roxygen2/version 8.1.0

Config/pak/sysreqs

libfontconfig1-dev libfreetype6-dev libicu-dev libjpeg-dev libpng-dev libxml2-dev libssl-dev

Repository <https://unhcrverse.r-universe.dev>

Date/Publication 2026-09-03 12:06:22 UTC

RemoteUrl <https://github.com/unhcr-dataviz/cccmthemes>

RemoteRef HEAD

RemoteSha 66834a2f627e9312a99ad5e31a22d7d3ecfa39d6

Contents

theme_cccm	2
Index	5

theme_cccm	<i>CCCM ggplot2 theme</i>
------------	---

Description

theme_cccm provides a basic **CCCM** theme to use in **ggplot2** commands.

Usage

```
theme_cccm(
  font_family = "Inter",
  font_size = 12,
  plot_title_size = rel(1.35),
  plot_title_margin = font_size,
  subtitle_size = font_size,
  subtitle_margin = font_size * 1.5,
  strip_text_size = rel(0.9),
  strip_text_face = "bold",
  strip_text_just = 0,
  caption_size = rel(0.7),
  caption_margin = font_size,
  axis_text = TRUE,
  axis_text_size = rel(0.9),
  axis_title = TRUE,
  axis_title_size = rel(0.8),
  axis_title_face = "bold",
  axis = FALSE,
  axis_ticks = FALSE,
  grid = "XY",
  legend = TRUE,
  legend_text_size = rel(0.9),
  legend_title = FALSE,
  legend_title_size = rel(0.9),
  plot_margin = font_size,
  plot_background = "#F5F3E8",
  void = FALSE
)
```

Arguments

font_family	Base font family "Inter". You need to have "Inter" font installed on your device in order to use it.
font_size	Base font size in pt. Default to 12 pts.
plot_title_size	Plot title font size. Default to font_size * 1.35.
plot_title_margin	Plot title bottom margin. Default to font_size.

subtitle_size	Plot subtitle font size. Default to font_size.
subtitle_margin	Plot subtitle bottom margin. Default to font_size * 1.5.
strip_text_size	Facet label font size. Default to font_size * 0.9.
strip_text_face	Facet label font face. Default to "bold".
strip_text_just	Facet label justification. Default to 0.
caption_size	Caption font size. Default to font_size * 0.7.
caption_margin	Caption top margin. Default to font_size.
axis_text	Logical TRUE/FALSE or xy. Turn on and off axis label. Use x or y to have only the correspondent active. Default to TRUE.
axis_text_size	Axis label font size. Default to font_size * 0.9.
axis_title	Logical TRUE/FALSE or xy. Turn on and off axis title. Use x or y to have only the correspondent active. Default to TRUE.
axis_title_size	Axis title font size. Default to font_size * 0.8.
axis_title_face	Axis title font face. Default to "bold".
axis	Logical TRUE/FALSE or xy. Turn on and off axis. Use x or y to have only the correspondent axis active. Don't forget to review the expand argument of the scale_x_*/scale_y_* to avoid spacing between the axis and the baseline of the plot. Default to FALSE.
axis_ticks	Logical TRUE/FALSE or xy. Turn on and off axis ticks. Use x or y to have only the correspondent axis ticks active. Default to FALSE.
grid	Logical TRUE/FALSE or a combination of X or x and Y or y. Turn on and off panel grids. Use XorYfor.
legend	Logical TRUE/FALSE. Turn on and off the legend. Default to TRUE.
legend_text_size	Legend key font size. Default to font_size * 0.9.
legend_title	Logical TRUE/FALSE. Turn on and off the legend title. Default to FALSE.
legend_title_size	Legend title font size. Default to font_size * 0.9.
plot_margin	Plot margin (specify with ggplot2::margin()). Default to ggplot2::margin(font_size, font_size, font_size, font_size).
plot_background	Plot background. Put "transparent" for no background color. Default to "ecruwhite".
void	Logical TRUE/FALSE. If TRUE, all grid lines, ticks and axes are removed. Default to FALSE.

Value

The theme style

Examples

```
## Not run:  
library(ggplot2)  
  
ggplot(mpg, aes(displ, hwy)) +  
  geom_point() +  
  theme_cccm()  
  
## End(Not run)
```

Index

`ggplot2`, [2](#)

`theme_cccm`, [2](#)