

Package: graveler (via r-universe)

June 28, 2024

Title Builds standardized, modular shiny dashboard with a UNHCR style

Version 0.75.2

Maintainer Edouard Legoupil <legoupil@unhcr.org>

Description Wrapper for {golem} that automates dashboard file generation.

License MIT + file LICENSE

URL <https://github.com/edouard-legoupil/graveler>

Imports cli, config, glue, golem (>= 0.3.1), pak, pkgload, rsconnect, rstudioapi, shiny, shinydashboard, usethis, yesno

Suggests knitr, rmarkdown, testthat

VignetteBuilder knitr

Remotes edouard-legoupil/unhcrshiny, unhcr-dataviz/unhcrtemplate, unhcr-dataviz/unhcrthemes

Config/fusen/version 0.5.2

Encoding UTF-8

LazyData true

RoxygenNote 7.2.3.9000

Repository <https://unhcrverse.r-universe.dev>

RemoteUrl <https://github.com/Edouard-Legoupil/graveler>

RemoteRef HEAD

RemoteSha 919810e30f6cf2e0bc7c07122e5b71f03d6e2255

Contents

example_protection	2
example_response	2
graveler_dashboard	3
level_up	3

Index	4
--------------	----------

example_protection *Launch a small graveler example for protection monitoring dashboard*

Description

An illustration of graveler applied to a humanitarian protection monitoring dashboard

Usage

```
example_protection()
```

Examples

```
if (interactive()) {  
  example_protection()  
}
```

example_response *Launch a small graveler example for response tracking dashboard*

Description

An illustration of graveler applied to a humanitarian response tracking dashboard

Usage

```
example_response()
```

Examples

```
if (interactive()) {  
  example_response()  
}
```

graveler_dashboard	<i>Golem dashboard backend</i>
--------------------	--------------------------------

Description

Creates golem directory and header from template info

Usage

```
graveler_dashboard(path, ...)
```

Arguments

path	path to file
...	other parameters

level_up	<i>Graveler Module</i>
----------	------------------------

Description

Creates module of the specified name

Usage

```
level_up(name, pkg = get_graveler_wd(), open = TRUE, dir_create = TRUE)
```

Arguments

name	name
pkg	package name
open	boolean
dir_create	boolean

Index

`example_protection`, [2](#)

`example_response`, [2](#)

`graveler_dashboard`, [3](#)

`level_up`, [3](#)