

Package: unhrdown (via r-universe)

June 23, 2024

Title UNHCR Templates for R Markdown

Version 0.0.4.9000

Description Produce documents compliant with UNHCR brand identity.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.1

Imports magick, pagedown, officedown, rmarkdown, officer, xaringan,
unhrdesign

URL <https://github.com/unhr-dataviz/unhrdown>,
<https://unhr-dataviz.github.io/unhrdown/>

BugReports <https://github.com/unhr-dataviz/unhrdown/issues>

Remotes vidonne/unhrdesign

Suggests knitr, fontawesome

VignetteBuilder knitr

Config/Needs/website unhr-dataviz/unhrtemplate

Repository <https://unhrverse.r-universe.dev>

RemoteUrl <https://github.com/unhr-dataviz/unhrdown>

RemoteRef HEAD

RemoteSha 7e4670b031afd34cada080fdaa4f7f706e23a10e

Contents

docx_simple	2
html_page	2
html_slides	2
paged_report	3
paged_simple	3
pptx_slides	4

Index**5**

docx_simple	<i>Convert to UNHCR branded Word document</i>
-------------	---

Description

Format for converting from R Markdown to an UNHCR branded Word simple document

Usage

```
docx_simple(...)
```

Arguments

...	extra parameters to pass to <code>officedown::rdocx_document</code>
-----	---

html_page	<i>Convert to UNHCR branded HTML website</i>
-----------	--

Description

Format for converting from R Markdown to an UNHCR branded HTML website

Usage

```
html_page(...)
```

Arguments

...	extra parameters to pass to <code>rmarkdown::html_document</code>
-----	---

html_slides	<i>Convert to UNHCR branded HTML presentation</i>
-------------	---

Description

Format for converting from R Markdown to an UNHCR branded HTML presentation

Usage

```
html_slides(other_css = NULL, ...)
```

Arguments

other_css	Add extra css
...	extra parameters to pass to <code>xaringan::moon_reader</code>

`paged_report` *Function for UNHCR paged report template*

Description

Function for UNHCR paged report template

Usage

```
paged_report(  
  front_img = NULL,  
  img_to_dark = FALSE,  
  other_css = NULL,  
  toc = TRUE,  
  toc_depth = 2,  
  number_sections = FALSE,  
  ...  
)
```

Arguments

<code>front_img</code>	Cover image
<code>img_to_dark</code>	Darken cover image
<code>other_css</code>	Add extra css
<code>toc</code>	Table of content
<code>toc_depth</code>	Table of content depth
<code>number_sections</code>	Number section headings
<code>...</code>	Arguments passed to <code>pagedown::html_paged</code>

Value

A pagedown report

`paged_simple` *Function for UNHCR paged simple template*

Description

Function for UNHCR paged simple template

Usage

```
paged_simple(back_html = TRUE, other_css = NULL, number_sections = FALSE, ...)
```

Arguments

back_html	Back-cover HTML including contact information
other_css	Add extra css
number_sections	Number section headings
...	Arguments passed to pagedown::html_paged

Value

A pagedown report

pptx_slides	<i>Convert to UNHCR branded Powerpoint presentation</i>
-------------	---

Description

Format for converting from R Markdown to an UNHCR branded Powerpoint presentation

Usage

```
pptx_slides(...)
```

Arguments

... extra parameters to pass to officedown::rpptx_document

Index

`docx_simple`, 2

`html_page`, 2

`html_slides`, 2

`paged_report`, 3

`paged_simple`, 3

`pptx_slides`, 4